



LAWRENCE
LIVERMORE
NATIONAL
LABORATORY

Ramp Compression Experiments

J. Eggert, D. Fujino, D. Braun, R. Smith, M. Bastea, R. Rygg, D. Hicks, J. Hawreliak, Y. Ping, R. Shepherd, G. Collins

September 3, 2009

AIRAPT 2009
Tokyo, Japan
July 27, 2009 through July 31, 2009

Disclaimer

This document was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor Lawrence Livermore National Security, LLC, nor any of their employees makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or Lawrence Livermore National Security, LLC. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or Lawrence Livermore National Security, LLC, and shall not be used for advertising or product endorsement purposes.

AIRAPT, 2009



**Tokyo, Japan
July 27– 31, 2009**

Ramp Compression Experiments

Jon H. Eggert

**Don Fujino, Dave Braun, Raymond Smith, Marina Bastea,
Ryan Rygg, Damien Hicks, Jim Hawreliak, Yuan Ping,
Ronnie Shepherd, Gilbert Collins**

Outline




Laser-Driven Ramp Compression Experiments

- **Ramp-Compression EOS on Tantalum to 320 GPa**
 - Cold Sample
 - Absolute Stress-Strain


- **X-ray Diffraction on Iron to 470 GPa**
 - Far Above Shock Melting on Hugoniot
 - Still Solid
 - Consistent with HCP

Laser Facilities



Janus
Lawrence
Livermore
National Lab
(CA)



2 beam
1 kJ



Omega
University of
Rochester (NY)

60 Beams
30 kJ


100 meters



N.I.F.
Lawrence
Livermore
National Lab

192 Beams, 2 MJ


We have ramp compressed diamond to 1500 GPa



Ramp-compressed Stress-Density to 800 GPa.



(Bradley, et al., PRL 102, 07550, 2009)

Now we apply same technique to metals
(Tantalum to 320 GPa)



Ramp-Wave EOS

--Design Requirements--



No reverberation


--and--

No Shock.




Iterative Analysis: Correction for free-surface wave interactions.

Rothman, et al. J. Phys. D (2005)




Absolute Stress-Density Measurement

Target Metrology and Pulse Shape





$d_A = 11.24 \pm 05 \mu\text{m}$
 $d_B = 13.83 \pm 05 \mu\text{m} - 2.59 \mu\text{m}$
 $d_C = 16.54 \pm 05 \mu\text{m} - 2.71 \mu\text{m}$
 $d_D = 19.35 \pm 05 \mu\text{m} - 2.81 \mu\text{m}$





Omega Laser
University of Rochester

VISAR Wave Profiles

Shot 54777





8 Shots—Highly Consistent Results



8 Shots on the Omega Laser in 2009
100% Data Return

Averaging All Laser Shots



Ramp Compression Tantalum Equation of State

- Stress-density on 8 shots to over 300 GPa.
- Very consistent with previous Z shots.


Next Year: NIF experiments to 500 GPa and more . . .

X-Ray Diffraction





- **Diffraction -- Most direct way to determine crystal structure**
- **Laser Drive -- Ideal for X-ray diagnostics**
- **Ramp Compression -- limits shock heating, very high pressures in solid phase.**

Iron Phase Diagram





- Diffraction above the shock melting pressure?

X-Ray Diffraction at Omega Laser




s54206, Fe



Strain rate is very high, $\sim 10^8$.
What does diffraction look like?


Shot 54203

$P = 185_{-17}^{+6}$ GPa



Raw Data ↑


↓ Wavelet-FT Background Subtraction



Two High Pressure Lines


Shot 54206

$$P = 324_{-15}^{+9} \text{ GPa}$$




Raw Data ↑

↓ Wavelet-FT Background Subtraction




Shot 54200—“High” Pressure Iron, $P = 471$ GPa




Raw Data ↑

↓ Wavelet-FT Background Subtraction



High
Pressure
Line


We see 2 strong, 1 weak reflections.



We will *assume* a structure and fit.



Likely Structures



**Guided by static experiments,
potential structures are hcp with
 $c/a=1.61$ and fcc. (Ma, et al. 2004)**



Likely Structures






FIG. 1 (color). Schematic showing the lattice structure of the α and ϵ phases for iron. A pseudohexagonal structure results from 18.4% compression of the bcc lattice along [001]. Shuffling of alternate (110) planes creates the close-packed structure.

Kalantar, PRL **95**, 075502 (2005). $c/a=\sqrt{3}=1.73$

**Guided by static experiments,
potential structures are hcp with
 $c/a=1.61$ and fcc. (Ma, et al. 2004)**

**Previous shock experiments on
single crystals found hcp ($c/a=1.73$)**


Best Fit Assuming FCC



Doublet, but not great fit to separation

Best Fit Assuming HCP, $c/a = 1.732$


As observed in single crystal laser shock experiments



Doublet, but not great fit to separation


Best Fit Assuming HCP, $c/a = 1.61$

As observed in DAC experiments



Triplet, peak positions fit well for this shot, but significant basal texture required to get agreement with doublet structure observed.

Results and Comparison



Diffraction on *solid* Fe to 472 GPa

- Highest pressure X-ray diffraction ever.
- Far above Hugoniot melt (~ 250 GPa).
- Structure appears to be HCP.
- More analyses / experiments still needed.

Conclusions



Ramp Compression Tantalum Equation of State

- Stress-density on 8 shots to over 300 GPa.
- Very consistent with previous Z shots.

Next Year: NIF experiments to 500 GPa and more . . .

Diffraction on *solid* Fe to 472 GPa

- Highest pressure X-ray diffraction ever.
- Far above Hugoniot melt (~250 GPa).
- Structure appears to be HCP.
- More analyses / experiments still needed.

No obvious limit on pressure